
	DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	
--	--	--

EXE



ED VO

EDT\$LXCOMNOO	EDT\$LXCOMNOO - Call EDT\$LXCOM for EDT\$EXTEND Declarations	D 4 16-Sep-1984 01:05:55 14-Sep-1984 12:23:49	VAX-11 Bliss-32 V4.0-742 Page DISK\$VMSMASTER:[EDT.SRCJLXCOMNOO.BLI;1 (2)
48 49 50 51	0047 1 %SBTTL 'Declarations' 0048 1 ! 0049 1 ! TABLE OF CONTENTS: 0050 1 !		
49012345678901234567890123777777777777777777777777777777777777	0052 1 REQUIRE 'EDTSRC:TRAROUNAM'; 0491 1 0492 1 FORWARD ROUTINE 0493 1 EDT\$\$LNM_CMD_NOOVERLAY: NOVALUE;	! Call EDT\$\$LN	M_CMD for EDT\$EXTEND
58 59 60 61	0492   FORWARD ROUTINE   O494   O495   O496   INCLUDE FILES:   O497   O498   O499   REQUIRE 'EDTSRC:EDTREQ';   O634   O635   O636   MACROS:   O637   O638   NONE   O641   O642   NONE   O643   O644   OWN STORAGE:   O645   O646   NONE   O647   O648   EXTERNAL REFERENCES:		
63 64 65 66	0499 1 REQUIRE 'EDTSRC:EDTREQ'; 0634 1 0635 1 ! 0636 1 ! MACROS: 0637 1 !		
67 68 69 70	0638 1 NONE 0639 1 EQUATED SYMBOLS: 0640 1 EQUATED SYMBOLS:		
72 73 74 75	0642 1 NONE 0643 1 OWN STORAGE: 0645 1 NONE		
76 77 78 79	0647 1   0648 1   EXTERNAL REFERENCES: 0649 1   0650 1   In the routines		

ED'

...........

```
EDT$LXCOMNOO VO4-000
                    EDT$LXCOMNOO - Call EDT$LXCOM for EDT$EXTEND EDT$$LNM_CMD_NOOVERLAY - Call EDT$LNM_CMD for
                                                                                 16-Sep-1984 01:05:55
14-Sep-1984 12:23:49
                                                                                                                VAX-11 Bliss-32 V4.0-742 Page DISK$VMSMASTER:[EDT.SRC]LXCOMNOO.BLI;1
                              *SBTTL 'EDT$$LNM_CMD_NOOVERLAY - Call EDT$LNM_CMD for EDT$EXTEND'
   8123888888999934567890110345678901100
                    0655345678901234566657890123456666671234567890066884567890068889
                              GLOBAL ROUTINE EDT$$LNM_CMD_NOOVERLAY (
                                                                                              Call EDT$LNM_CMD for EDT$EXTEND
                                   COM_START
) : NOVALUE =
                                                                                              Command to execute
                                FUNCTIONAL DESCRIPTION:
                                         Call EDT$LNM_CMD for EDT$EXTEND, then amke sure that EDT$EXTEND
                                         is in memory before returning.
                                 FORMAL PARAMETERS:
                                  COM_START
                                                             Node block containing the command to execute
                                 IMPLICIT INPUTS:
                                         NONE
                                 IMPLICIT OUTPUTS:
                                         NONE
                                 ROUTINE VALUE:
                                         NONE
                                 SIDE EFFECTS:
   111
                                         MANY
   114
115
116
117
                                   BFGIN
                                   EXTERNAL ROUTINE
   118
                                         EDT$$LNM_CMD_NOOVERLAY_REF : NOVALUE,
                                                                                              Alternate name for EDT$$LNM_CMD, not in overlay analysis
   119
                                         EDT$$LOAD_EXTEND : NOVALUE;
                                                                                            ! Load the EXTEND module into memory (on the PDP-11)
   120
121
122
123
                    0690
                    0691
                                    EDT$$LNM_CMD_NOOVERLAY_REF (.COM_START);
                                   EDT$$LOAD_EXTEND ();
                                    END:
                                                                                            ! of routine EDT$$LNM_CMD_NOOVERLAY
                                                                                               .TITLE EDT$LXCOMNOO EDT$LXCOMNOO - Call EDT$LXCOM for
                                                                                                                          EDTSEXTEND
                                                                                               . IDENT
                                                                                                        \V04-000\
                                                                                               .EXTRN
                                                                                                         EDT$$LNM_CMD_NOOVERLAY_REF
                                                                                                         EDT$$LOAD_EXTEND
                                                                                               .PSECT
                                                                                                         _EDT$CODE,NOWRT, SHR, PIC,2
                                                                      0000 00000
DD 00002
FB 00005
                                                                                                         EDT$$LNM_CMD_NOOVERLAY, Save nothing COM_START #1, EDT$$LNM_CMD_NOOVERLAY_REF
                                                                                                                                                                    0653
0691
                                                                                               .ENTRY
                                                                                               PUSHL
                                    00000000G 00
```

EDT\$LXCOMNOO EDT\$LXCOMNOO - Call EDT\$LXCOM for EDT\$EXTEND 16-Sep-1984 01:05:55 VAX-11 Bliss-32 V4.0-742 Page 4 V04-000 EDT\$\$LNM\_CMD\_NOOVERLAY - Call EDT\$LNM\_CMD for 14-Sep-1984 12:23:49 DISK\$VMSMASTER:[EDT.SRC]LXCOMNOO.BLI;1 (3)

00000000G 00 00 FB 0000C CALLS #0, EDT\$\$LOAD\_EXTEND

: 0692 : 0693

; Routine Size: 20 bytes, Routine Base: \_EDT\$CODE + 0000

: 124 0694 1 : 125 0695 1 !<BLF/PAGE> Name Bytes Attributes

20 NOVEC, NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC, ALIGN(2)

ED'

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
\$255\$DUA28:[EDT.SRC]EDT.L32:1 \$255\$DUA28:[EDT.SRC]PSECTS.L32:1	377	0	50	40	00:00.2

## COMMAND QUALIFIERS

BLISS/CHECK=(FIELD, INITIAL, OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:LXCOMNOO/OBJ=OBJ\$:LXCOMNOO MSRC\$:LXCOMNOO.BLI/UPDATE=(ENH\$:LXCO MNOO)

Size: 20 code + 0 data bytes Run Time: 00:08.6 Elapsed Time: 00:11.9

Run Time: 00:08.6 Elapsed Time: 00:11.9 Lines/CPU Min: 4875 Lexemes/CPU-Min: 13068 Memory Used: 50 pages Compilation Complete

\_EDT\$CODE

0137 AH-BT13A-SE

## DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

